



# Piloto trasero TM11 Full-LED

El piloto del futuro





# Variantes & funciones para cada uso


Individual o en Kit de 18 unidades

Función 12/24 V							
Tipo	Derecha → Izquierda ←	Posición Parada Intermitente Marcha atrás Antiniebla Triángulo reflectante	Conexión Conector de 7 polos AMP Dirección:	2x2 Super Seal en la parte trasera	Control integrado SIMAC	Control LED integrado	Referencia
Full-LED	→	✓	Backwards	✓	✓	--	098 216 550 098 216 550-18*
Full-LED	←	✓	Backwards	✓	✓	--	098 216 551 098 216 551-18*
Full-LED	→	✓	Backwards	✓	✓	Indicator failure	098 216 552 098 216 552-18*
Full-LED	←	✓	Backwards	✓	✓	Indicator failure	098 216 553 098 216 553-18*
Full-LED	←	✓	Backwards	✓	✓	Indicator- & Stop light failure	098 216 555 098 216 555-18*

\*) Packaging unit with 18 pieces

## Possible variant combinations of TM11 taillights

Variant type	Article number	Control functions in the Tail lights
BASIC	098 216 550 (R) & 098 216 551 (L)	SIMAC
ADVANCED	098 216 552 (R) & 098 216 553 (L)	SIMAC and LED Indicator failure control
PREMIUM	098 216 552 (R) & 098 216 555 (L)	SIMAC, LED Indicator failure control and LED stop failure control



### Packaging

The TM11 full-LED tail light is packed as a single package or as a packaging with 18 pieces. The packaging is a box made of sturdy cardboard and the rear lights are fully upholstered. This in order to minimize transport damage and to ensure a safe and optimal transport.

## Spare parts and accessories

Below the spare parts and accessories programme for the TM11 tail light.



Spare parts and accessories	Pos.	Article No.
Bracket, angled, made of plastic - for mounting of outer end marker light Supplied with 4 pcs. Stainles Torx screws. Bolt hole distance: 77 mm	1	098 292 610
LED Outer end marker light 12/24V, right - 300 mm connection cable with Super Seal plug	2	098 241 448
LED Outer end marker light 12/24V, left - 300 mm connection cable with Super Seal plug	2	098 241 449
Protection cover, plastic, for tail light - bolt hole distance of 152 mm	3	098 296 710
Protection cover which tightens and protects the contacts of the LED control unit To be used when no LED control unit is mounted on the TM11 tail light	4	098 296 700
LED Control unit 12/24V for mounting on TM11 tail light For controlling of the indicator- or stop light. One unit per function is needed To be mounted on the back side of the light housing. Connection with 3 x spring loaded contacts	5	098 298 149

# Complete Rear Bumper

All included – and also impact resistant


- Unsurpassed durability - impact resistant lens made of polycarbonate and with dynamic indicator light
- High degree of credibility - built-in SIMAC & LED Indicator failure control / LED stop light failure control (optional)
- Anodized aluminum profile with ECE-approval



Function						
Voltage	Type	Connection	Cover	SIMAC	LED failure control	Artikel-Nr.
12/24V	Full-LED	500 mm cable 15 core with Ermax bayonet socket	Lighting & plugs	✓	--	098 258 520
12/24V	Full-LED	500 mm Kabel 15 core with Ermax bayonet socket	Lighting & plugs	✓	Indicator failure control	098 258 530
12/24V	Full-LED	500 mm Kabel 15 core with Ermax bayonet socket	Lighting & plugs	✓	Indicator- & stop light failure control	098 258 580

Measure (LxDxH): 2400 x 120 x 250 mm / Length incl. outer en marker light is 2780 mm.

With the TM11 tail light the Ermax rear bumper has a real allrounder on board: further to the standard functions the TM11 also has an optional LED indicator failure control and LED stop light failure control as well as a flash function for the side marker lights (SIMAC) integrated in the light housing – mounting will never be easier!



#### Configuration with full-LED tail lights & SIMAC:

- 1 pcs 098 216 550 Full-LED tail light, right
- 1 pcs 098 216 551 LED tail light, left
- 2 pcs 098 254 335 LED license plate lights
- 1 pcs 098 241 449 LED outer end marker light, left
- 1 pcs 098 241 448 LED outer end marker light, right
- 2 pcs 098 296 710 Protection cover for tail light

#### Configuration with full-LED tail lights, SIMAC & LED failure control:











- 1 pcs 098 216 552 Full-LED tail light, right
- 1 pcs 098 216 553 LED tail light, left (Indicator failure control) or
- 1 pcs 098 216 555 LED tail light, left (Indicator- & Stop light failure control)
- 2 pcs 098 254 335 LED license plate lights
- 1 pcs 098 241 449 LED outer end marker light, left
- 1 pcs 098 241 448 LED outer end marker light, right
- 2 pcs 098 296 710 Protection cover for tail light

# Complement to a strong family

## The brand ERMAX®

Ermax® is the exclusive brand for high quality lighting systems and complete cable systems for the commercial vehicle industry. With over 70 years of experience and intensive research and development, Ermax® is one of the established OEM manufacturers of lighting technology. The Ermax® product range is available for both the OEM and spare parts trade.

Below is a selection of our Ermax-family when talking about lighting.

<p><b>TM1 Tail light 24V - LED</b></p> <p>Lens: PMMA          Housing: ABS          Connection: 7 poled AMP socket          IP-Rating: IP69K</p> 	<p><b>TM4 Tail light 12/24V - LED</b></p> <p>Lens: PMMA          Housing: PP          Connection: 7 poled AMP socket or rubber grommet          IP-Rating: IP54</p> 
<p><b>TM2 Tail light 24V - GL</b></p> <p>Lens: PMMA          Housing: PP          Connection: 7 poled AMP socket          IP-Rating: IP54</p> 	<p><b>TM6 Tail light 12/24V - LED (surface)</b></p> <p>Lens: PMMA          Housing: ABS          Connection: 7 poled AMP plug/socket or open end          IP-Rating: IP69K</p> 
<p><b>TM10 Tail light 24V - Hybrid or full-LED for Trailer</b></p> <p>Lens: Impact resistant polycarbonate          Housing: Polypropylen (PP)          Connection: 7 poled AMP socket - Option Super Seal backwards          IP-Rating: IP54</p>   <p>Hybrid                      Voll-LED</p>	<p><b>TM7 Tail light 12/24V - LED (Built-in)</b></p> <p>Lens: PMMA          Housing: ABS          Connection: 7 poled AMP plug/socket or open end          IP-Rating: IP69K</p> 
<p><b>TM10 Tail light 24V - Hybrid or full-LED for Truck</b></p> <p>Lens: Impact resistant polycarbonate          Housing: Polypropylen (PP)          Connection: 7 poled AMP socket          IP-Rating: IP54</p>   <p>Hybrid                      Voll-LED</p>	<p><b>TM5 Tail light 24V - LED (Built-in)</b></p> <p>Lens: Impact resistant polycarbonate          Housing: Impact resistant polycarbonate          Connection: 7 poled AMP socket / open end          IP-Rating: IP67</p> 

Brands of the BPW Group:



**ERMAX**®

**HBN-Teknik** A/S

**HESTAL**®

**idem**  
telematics

Marzo 2019 - Versión 2.0

 **ERMAX**®  
"Light Made Heavy Duty"

BPW Trapaco, S.L.  
C/ Miguel Servet, 12  
28806 Alcalá de Henares, Madrid  
Tel. +34 91 802 36 00  
[www.bpw.es](http://www.bpw.es)